

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 03/15/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to tracy.sargent@state.de.us. Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: www.awm.delaware.gov

UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:

DNREC TO HOLD PUBLIC MEETINGS ON UNIVERSAL RECYCLING THROUGHOUT THE STATE ON MARCH 22, 23, 28 AND 29

– The Solid and Hazardous Waste Management Branch (SHWMB) will hold four public meetings this month to provide information and answer questions on the new Universal Recycling Law (Senate Bill 234) signed by Governor Markell on June 8, 2010. The new law establishes a comprehensive statewide system of recycling that with full implementation will include effective and convenient recycling programs for every Delaware residence and business. The law is structured to maximize recycling rates and diversion of waste and is expected to support and stimulate job growth and new businesses. The meeting locations, dates and times are:

Tuesday, March 22 - (6:30 - 7:30 p.m.) Lewes Public Library Railroad Avenue & Adams St. Lewes, DE 19958

Wednesday, March 23 - (6:30 - 7:30 p.m.) DNREC Auditorium 89 Kings Highway Dover, DE 19901

Monday, March 28 - (6:30 - 7:30 p.m.) Bear Library 101 Governor's Place Bear, DE 19701

Tuesday, March 29 - (6:30 - 7:30 p.m.) Western Sussex Boys & Girls Club 310 Virginia Avenue, Seaford, DE 19973

For additional information, please contact Bill Miller or Jim Short (302) 739-9403 or visit:

http://www.dnrec.delaware.gov/News/Pages/DNREC_to_hold_public_meetings_on_new_recycling_law.aspx

RECYCLING PUBLIC ADVISORY COUNCIL MONTHLY MEETING – The Recycling Public Advisory Council will hold their monthly meeting to discuss recycling matters in the State of Delaware and implementation of the Universal Recycling Law on March 23, 2011 from 1:30pm – 3:30pm at the Brandywine Hundred Public Library, 1300 Foulk Road, Wilmington – 19803.

For additional information, please contact Shannon Splittorff at (302) 739-9403 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/951B37E33793FF0885257854004F599F?open>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:

**PIGEON POINT LANDFILL, DELAWARE SOLID WASTE AUTHORITY (DSWA)
REQUEST FOR MAJOR MODIFICATION TO SOLID WASTE POST-CLOSURE
PERMIT SW-08/01** - Pursuant to 7 Del. C Section 6004, notice is hereby given by the Solid Hazardous Waste Management Branch (SHWMB) that the Delaware Solid Waste Authority (DSWA) has requested to modify the post-closure permit for the Pigeon Point Landfill located at 1101 Lambson Lane in New Castle. The SHWMB issued the post-closure permit to the City of Wilmington and the DSWA as co-permittees on November 19, 2008. The post-closure permit stipulates ongoing maintenance and environmental monitoring of the landfill, which has been closed

since 1985. The DSWA has requested modifications which include adding a reference to the Sediment & Stormwater Plan Approval 2001-006 in the permit; replacing the Landfill Gas Monitoring Plan; changing surface water monitoring requirements; removing 4 tax parcels referenced in the permit; reducing frequency of inspection for the landfill cap, litter and leachate control system; and deleting references to 2 leachate sampling points. Additionally, as a result of the DSWA's appeal of permit SW-08/01, the SHWMB has entered into a Stipulated Agreement regarding these and other administrative changes to be considered during the permit modification process. A public hearing on the above permit modification request will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by March 17, 2011. For additional information, please contact Robert Hartman at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1020&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

BROWNFIELDS DEVELOPMENT PROGRAM – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Branch (SIRB) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRB's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 733 SOUTH MARKET STREET SITE (DE-1502)

– The Site Investigation and Restoration Branch (SIRB) negotiated a Brownfields Development Agreement (BDA) with Dun-Rite Tires Plus Wheels, Inc. regarding the 733 South Market Street Site (Site) located at 733 South Market Street in Wilmington. Known by New Castle County as tax parcel numbers 26-057.00-004 and 10-001.00-001, the .0.95 acre Site may contain hazardous substances as a result of past use that included storage for Underground Storage Tanks (USTs) that the Tank Management Branch (TMB) removed, as well as the Site's close proximity to several SIRB sites. Past environmental investigations at the Site revealed unacceptable levels of lead and arsenic in Site soils and groundwater. The public comment period begins on February 28, 2010 and will close on March 21, 2011. For additional information, please contact Larry Jones at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1017&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE NEW CASTLE AVENUE AND B STREET SITE (DE-1396)

- The Site Investigation and Restoration Branch (SIRB) has adopted a plan to clean up the New Castle Avenue and B Street Site located on the southwest corner of New Castle Avenue and B Street in Wilmington. The 0.3 acre Site is currently vacant and covered with bare soil and grass. An interim action was performed that removed PAH and PCB contaminated soil from a localized area. The public may appeal this final plan by March 26, 2011. For additional information, please contact Larry Jones or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1028&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER AMERICAN SCRAP & WASTE SITE (DE-1131)

- The Site Investigation and Restoration Branch (SIRB) invites public comment on a proposal to clean up the Former American Scrap & Waste site in Wilmington. The 1.63 acre site is located at 20

Commerce Street, Wilmington. The property has been historically in commercial use since the 1890's. The site is planned to be developed for commercial use. Both surface and subsurface soils were found to contain metals, such as lead and arsenic, PCBs, and the semi-volatile organic compounds (SVOC) benz(a)anthracene, benzo(b)fluoranthene, indeno(1,2,3-cd)pyrene, benzo(a)pyrene and dibenz(a,h)anthracene above the DNREC Uniform Risk Based Standard (URS) for restricted use. The comment period ends on March 28, 2010. For additional information, please contact Wendy March or Robert Newsome at (302)395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1029&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS -

Notice is hereby given that ICM of Delaware, Inc. having a facility at Breasure Road, Georgetown and 3700 Bay Road, Dover has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for a mobile shingle grinder. The permit will increase emissions for each site by 0.14 TPY PM₁₀, 0.15 TPY PM, 0.16 TPY TOC, 0.42 TPY CO, 1.9 TPY NO_x, and 0.13 TPY SO_x. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit (APC-2011/0066) into the facility's existing synthetic minor permits APC-1997/0494-OPERATION (Amendment 8)(SM) for Georgetown and APC-1982/0878-OPERATION (Amendment 13)(SM) for Dover via Administrative Amendments. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding by March 29, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1015&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS –

Notice is hereby given that the following companies have filed an application:

Artesian Water Company, Inc. requests permission for the operation of one (1) emergency generator, rated 600 kW (878 HP) at 37325 Akhrah Lane, Selbyville. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 1 emissions limits. Permit # APC-2011/0091-CONSTRUCTION/OPERATION.

Artesian Water Company, Inc. requests permission for the operation of one (1) emergency generator, rated 600 kW (918 HP) at 664 Churchmans Road, Newark. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2011/0092-CONSTRUCTION/OPERATION.

Artesian Water Company, Inc. requests permission for the operation of one (1) emergency generator, rated 600 kW (918 HP) at 668 Churchmans Road, Newark. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89,

Non-Road Tier 2 emissions limits. Permit # APC-2011/0093-
CONSTRUCTION/OPERATION.

Bracebridge Corporation (A Wholly Owned Subsidiary of Bank of America) – Deerfield Center, requests a permit to construct a 131 kW diesel fire pump at their 655 Paper Mill Road, Newark facility. The fire pump has the potential to emit (PTE) 0.072 tons/year of NO_x, 0.006 tons/year of VOCs, 0.020 tons/year of CO, 0.019 tons/year of SO₂, and 0.005 tons/year of PM. By Permit# APC-2011/0101 actual emissions will not exceed those listed above.

T.G. Adams & Sons, Inc., requests a permit to construct a 1,043 bushel per hour grain dryer to replace a 2,000 bushel per hour grain dryer at their 300 South Railroad Avenue, Bridgeville, Sussex County facility. The grain dryer has the potential to emit (PTE) 7.71 TPY of PM₁₀, 0.012 TPY of SO_x, 0.049 TPY of NO_x, and 0.12 TPY of VOCs. By Permit# APC-2011/0100-C actual emissions will not exceed 1.9 TPY of PM₁₀, 0.003 TPY of SO_x, 0.012 TPY of NO_x, and 0.029 TPY of VOCs.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending March 28, 2011.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending March 28, 2011. The application for this permit may be reviewed at the offices of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover or 715 Grantham Lane, New Castle. For additional information please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1031&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

WATER PERMITTING PROGRAM - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

WELL PERMITS – The following have submitted applications:

John Sammons needs to construct one irrigation well. The well is proposed to be 80 feet deep and 8 inches in diameter. This well is to be located approximately on the east side of Wild Turkey road and south of Neals School Road. The well is about 5 miles east of Seaford. The desired capacity of this well is 500 gallons per minute.

Gloria Graham needs to construct one irrigation well. The well is proposed to be 90 feet deep and 8 inches in diameter. This site is located approximately 100 west of Rt 12 and North of Burrows road. The well is about 3 miles south of Laurel. The desired capacity of this well is 500 gpm.

Sam Yoder Farm LLC needs to construct one irrigation well. The well is proposed to be 80 feet deep and 8 inches in diameter. This site is located approximately 1200 north of Hunting Quarter road and east of Memory lane. The well is about 5 miles north east of Greenwood. The desired capacity of this well is 500 gpm.

Cartanza Farms LP needs to construct one irrigation well. The well is proposed to be 75 feet deep and 12 inches in diameter. This site is located approximately 50' south of Little Creek road and west of Rd 9.

The well is about a mile south west of Dover. The desired capacity of this well is 800 gpm.

Lost Acres farm LLC needs to construct two irrigation wells. The first well is proposed to be 75 feet deep and 8 inches in diameter. This site is located approximately 650' north of Big Woods road and west of Twin Willows. This second well is proposed to be 110' deep and 8 inches in diameter. This well is located approximately 50' north of Big Woods road and west of Twin Willows. The wells are about 3 miles south east of Smyrna. The combined desired capacity of these well is 800 gpm.

Kay Greene needs to construct one irrigation well. The well is proposed to be 100 feet deep and 12 inches in diameter. This site is located approximately 1200 west of Webb Farm lane and south of Fitzgerald road. The well is about 2 miles south west of Lincoln. The desired capacity of this well is 1200 gpm.

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 21, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1026&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Margaret Holloway needs to construct an irrigation well. The well is proposed to be 80 feet deep and 10 inches in diameter. This site is located approximately 30 north of Elliotts Dam Road and west of Johnson road. The well is about 4 miles south east of Laurel. The desired capacity of this well is 400 gpm.

Richard McCloskey needs to construct an irrigation well. The well is proposed to be 110 feet deep and 16 inches in diameter. This site is located approximately 1100 south of Williamsville road and northeast of Cr 437. The well is about 3 miles south west of Houston. The desired capacity of this well is 1000 gpm.

Manaen Warrington needs to construct an irrigation well. The well is proposed to be 90 feet deep and 8 inches in diameter. This site is located approximately 800' north of Rt 54 and east of Hudson road. The well is 2 miles east of Selbyville. The desired capacity of this well is 600 gpm.

Fry Farms Inc. needs to construct one irrigation well. The well is to be 108 feet deep and 16 inches in diameter. This site is located approximately 1100' west of N. Union Church Road and north of Lord road. The well is 2 miles northwest of Ellendale. The desired capacity of this well is 1000 gpm.

Lifetime Living LLC needs to construct one dewatering system that is for 300 points that are 6' apart and 24 feet deep. The system is for the Canary Creek subdivision to install the pump station and sewer mains. The discharge water will be send to existing swale areas. The site is located on Samantha drive south of Park Road. The project is located north of the town of Lewes. The desired capacity of this system is 332 gpm.

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 28, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?I>

SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:

Kenneth Reed (Tax Parcel # 3-35-4.18-85.02) - To construct a 4 by 10 foot long fixed pier, a 3 by 24 foot long gangway, a 6 by 24 foot floating pier, a boat lift, and 3 new pilings in the Lewes and Rehoboth Canal at 526 Pilottown Road, Lewes.

Anchor family LLC (Tax Parcel # 3-34-8.17-77.00) - To construct a 4 by 15 foot long pier and a 5 by 25 foot long dock in the Lewes and Rehoboth Canal at 59 Anchor Road, North Shores, Rehoboth Beach.

Delaware Department of Transportation (Tax Parcel No. 130-5.00-34.00- dredging site and 130-5.00-35.00 – disposal site) - To excavate 25 cubic yards of material from Abbotts Mill Pond and place the material on a parcel west of the pond, south of Abbotts Pond Road, Milford.

24/7 Fiber Network (Project takes place in the Northern-Southern Railroad right-of-way-no tax parcel #, adjacent Tax Parcel # 's 4-31-6.00-5.00 and 1-32-1.11-1.00) - To install four 2 inch diameter by 720 foot long HDPE pipes under the Nanticoke River by horizontal directional drill, at 101 S. Delaware Avenue.

Thomas Munteer (Tax Parcel # 3-35-4.19-74.00) - To install a 3 by 20 foot long gangway, a 6 by 24 foot long floating pier and 2 pilings in the Lewes and Rehoboth Canal at 368 Pilottown Road.

Perdue AgriBusiness Incorporated (TM-5-31-13-34.01) - To dredge 6,500 cubic yards of material from an existing 460 foot by 120 foot barge loading area in the Nanticoke River to a new depth of -14 feet at mean low water, and dispose of the material on the adjacent downstream property at the Perdue AgriBusiness Grain Facility, 1001 Nanticoke Ave., Seaford.

United Water Delaware (TM 09-11.00-65&66) - To maintenance dredge 1,250 cubic yards of sediment each year from White Clay Creek in the area surrounding two intake structures at the Stanton Water Treatment Facility, 2000 First State Boulevard, Stanton.

Indian Riverview Marina (Tax Parcel # 1-34-4-4.00) - To dredge 490 cubic yards of material to a depth of -4 feet at mean low water from an artificial lagoon off Indian River Bay, each year for 5 years, and dispose of the material in an upland disposal site at the terminus of Indian Riverview Road, Dagsboro.

Wetlands and Water Quality Applications

Harborside Development (Tax Parcel # 3-35-8.08-11.01 & 152.00) - To hydraulically maintenance dredge 850 cubic yards of sediment to a depth of -4 feet at mean low water in 8 boat slips in the Lewes and Rehoboth Canal at the Inn at the Canal Square, with disposal at an existing upland disposal area via pipeline in Lewes.

Water Quality Applications

U.S. Army Corps of Engineers – To modify an existing dredging permit for the Port of Wilmington to authorize placement of the pipeline in the Delaware River and disposal of the dredged material at the Pedricktown South Confined Disposal Facility in New Jersey

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 22, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1021&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NPDES PERMITS – The Division of Water, hereby gives notice that the following companies have filed an application:

Tidewater Environmental Services, Inc. has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0021491 and State Number WPCC 3260F/74) to discharge treated wastewater from its sanitary wastewater treatment facilities serving the Town of Milton to the Broadkill River. The Milton Water Reclamation Facility is located at 207 Front Street in Milton. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 18, 2011. For additional information, please contact Anthony Hummel at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1006&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Baltimore Aircoil Company, Inc. has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE0051047 and State Number WPCC 3022B/74) to discharge non-contact cooling water and storm water associated with industrial activity to Sandy Branch from their facility located at 1162 Holly Hill Road in Milford. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by March 25, 2011. For additional information, please feel free to contact John DeFriece at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1014&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Sussex County Council has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0050008 and State Permit Number WPCC 3012E/74) to discharge treated wastewater from the South Coastal Regional Wastewater Facility to the Atlantic Ocean. The facility is located at 33711 South Coastal Lane in Frankford. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by on April 8, 2011. For additional information, please contact Anthony Hummel at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1027&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATIONS - The Division of Water hereby gives notice that permit applications have been received from the New Castle County Department of Special Services and Wilmington University to construct wastewater facilities (sewers, a pump station with dual pumps, piping, controls and accessories, and a force main) that will service the proposed Wilmington University Field House and Athletic Field project, located on the north side of U.S Route 40 (Road 32), approximately 1,200' west of Walther Road (Road 346), New Castle. A public hearing concerning the above applications will NOT be held unless the Secretary of

DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before March 17, 2011. For additional information, please contact Molly Mackil at (302) 739-9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1022&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

CONTACT THE DIVISION:

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9949
Division of Air Quality Director's office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Director's Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944